

UNIVERSITY OF CALCUTTA

OFFICE OF THE UNIVERSITY ENGINEER 87/1 College Street Darbhanga Building, GroundFloor Kolkata-700073

Website:-www.caluniv.ac.in

	<u>Annexure F</u>	or E	arnest Money Deposit on Dated : 24.08.2021
	versity of Calcutta invi	tes s	sealed tender from resourceful and bonafide contractors for the following work:
1.	N.I.T. No	:	Eng /CT- 15 /21-22 (2 nd call) Dated : 01.09.2021
2.	Name of Work	:	RENOVATION OF THE RESEARCH LABORATORY(ROOM NO 47) ALLOTTED TO DR. KUNAL PAL OF CHEMISTRY DEPARTMENT AT 1 ST FLOOR OF PALIT BUILDING AT RAJABAZAR SCIENCE COLLEGE.
3.	Estimated Cost put to Tender	:-	Rs. 453316.63
4.	Earnest Money Deposit(EMD)	:-	A sum of Rs22666.00(Rupees twenty twoThousand six hundred sixty six only in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. EMD is not exempted in any case.
5	Bid validity period	:	60(sixty) days after opening of the tender.
6	Time of completion	:-	60 days
7	Eligibility Criteria and Documents to be submitted along with Application.	5-	Valid trade License, GST & PAN and credential for satisfactory completion of similar nature of job amounting? % of the estimated value in a single tender in the last three financial years in Government /Government Undertaking or University of Calcutta.Original documents may be asked for verification of technical checking on the date of issuing tender paper. Failing to produce original documents, the tender will be rejected. The participant bidder must submit the following documents in sealed envelope in the tender box kept at the Office of the Engineer at the Ground Floor of the Darbhanga Building, University of Calcutta, 87/1, College Street, Kolkata – 700073 within the last date of submission of the tender. 1. NIT documents duly filled and signed by the intending bidder. 2. Bank Draft for EMD in favour of the University of Calcutta. 3. Self-attested copy of Valid trade License, GST & Pan and credentials for satisfactory completion of similar nature of jobs under Government, Government Undertaking and Universities etc. within last three years. Application through postal service or courier service is not accepted.
8.	Last date of Sale/ issue of tender papers.3	:	TO BE DOWNLOADED FROM UNIVERSITY WEBSITE.(www. caluniv.ac.in) IN TENDER NOTICE
9.	Last Date and Time of tender Submission.	:-	Dully filled and signed tender/quotation to be submitted on 10.09.2021 (up to 2.00 PM) in to the Tender Box kept in the Office of the University Engineer.
10.	Date and Time of Tender Opening.	:-	10.09.2021 at 3:00 PM or after. at the Office of the University Engineer

(i) N.I.T /NIQ no ,Name of work, name of the bidder and the date of opening tender/quotation should be written on the sealed envelope, failing which the tender/quotation will not be opened and thus cancelled.

(ii)The undersigned reserves the right to reject any or all Tenders/quotations without assigning any reason what so ever.





Name of the work:-<u>RENOVATION OF THE RESEARCH LABORATORY(ROOM NO 47) ALLOTTED TO DR. KUNAL PAL</u> <u>OF CHEMISTRY DEPARTMENT AT 1ST FLOOR OF PALIT BUILDING AT RAJABAZAR SCIENCE COLLEGE.</u>

N. I.T.no- En	g /CT- 15 /21-22 (2 nd call)	Dated : 01.09.2021	
Estimated cost Put to Te	ender:-Rs. <u>453316.63</u>		
	Name of Agency:-		
	Address of Agency:-		
	Rate quoted by Agency:- Percent Above / At par / Below	(%)
	Signature of the Agency with date & stamp:-		



UNIVERSITY OF CALCUTTA

N. I.Tno- Eng /CT- 15 /21-22 (2nd call)

Dated: 01.09.2021

TENDER AND CONTRACT FOR WORK

GENERAL TERMS AND DIRECTION FOR THE GUIDANCE OF CONTRACT

- 1. Eligible Tenders will have to download the tender papers from the website & drop the filled tender papers signed with seal and date at every page along with copy of Valid Trade license's, GST & PAN and Credential for satisfactory completion of similar nature of job amounting to at least seventy five percent of the job value in a single tender from any Government, Govt. undertaking or University of Calcutta in the last three financial year in sealed envelope in the Tender box kept in the Office of the undersigned with in the specified time mentioned in the NIT. which will be opened by the undersigned or by his representative with in the tendered must write the name of the work, NIT no, the date of opening and name of the bidder on the envelop failing which the tender will not be opened thus will be treated as cancelled.
- 2. The rate should be quoted after inspection of the site and inclusive of all incidental charges i.e. freight, insurances, labour insurances, handling charges, necessary government taxes, duties etc as well as the Water, Electricity charges which are to be paid as per rules.
- 3. The contractor shall be responsible to ensure compliance with the provision of minimum wages act 1948 as modified up to date and the rules made in respect of any employees, employed by the contractor directly or through the petty or subcontractor for the purpose of carrying this contract. The contractor shall be responsible for any damage, in jury or loss caused by the work or workmen to any person, animal or material during the progress of work.
- 4. **Time Extension:** The allotted time for completion of the work is asspecified in the NIT from the date of receipt of work order. Time is the essence of this contract. Normally notime extension will be granted. In case of prayer for extension of time the University authority has the full right reserved to grant it or discard it.



- 5. Liquidated damage will be charged to the contractor, if they fail to complete the work within the stipulated time as per contract @0.01% per day to a maximum limit of 10% of the contract value .
- 6. **Earnest Money Deposit**: Depending on the type of goods to be purchased or work to be done, Earnest Money Deposit (EMD), also known as Bid Security, may be obtained from the bidders-except those who are registered with National Small Industries Corporation (NSIC) or MSME to safeguard against a bidder withdrawing/altering his bid during the bid validity period. The bidders are required to furnish Earnest Money Deposit (EMD) along with their bids. Amount of Earnest Money Deposit (EMD) should be five per cent of the estimated value of the goods to be purchased or work to be done.

The Earnest Money Deposit (EMD) may be accepted in the form of Account Payee Demand Draft, Banker's Cheque or a Bank Guarantee in acceptable form from any of the Nationalised Banks, safeguarding the purchaser's interest in all respects. The Earnest Money Deposit (EMD) shall remain valid for a period of sixty days beyond the final tender validity period. The Bid Validity Period may be extended if required.

- 7. **Refund of Earnest Money Deposit (EMD):** Earnest Money Deposit (EMD) furnished by all unsuccessful bidders should be returned to them without any interest whatsoever, at the earliest after the expiry of the final bid validity period but not later than forty five days after the award of the contract. Earnest Money Deposit (EMD) of the successful tenderer should be returned, without any interest whatsoever, after receipt of performance security from him as stipulated in the contract.
- 8. **Forfeiture of Earnest Money Deposit (EMD):** Earnest Money Deposit (EMD) of a tenderer shall be forfeited, if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of his tender. Further, if the successful tenderer fails to furnish the required performance security within the specified period, his Earnest Money Deposit (EMD) shall be forfeited.
- 9. **Performance Security:** To ensure due performance of the contract, performance security is to be obtained from the successful bidder awarded the contract except those who are registered with National Small Industries Corporation (NSIC). Performance Security should be of an amount of ten per cent of the value of the contract. Performance Security should be furnished in the form of an Account Payee Demand Draft, or Bank Guarantee from a Nationalised Bank in an acceptable form safeguarding the purchaser's interest in all respects. Performance Security is to be furnished within twenty one days after notification of the award of contract and it should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier, including warranty obligations.
- 10. **Refund of Performance Security:** Performance Security should be refunded to the supplier without any interest, whatsoever, after he duly performs and completes the contract in all respects but not later than sixty days of completion of all such obligations under the contract.
- 11. **Forfeiture of Performance Security:** Performance security is to be forfeited and credited to University of Calcuttain the event of a breach of contract by the tenderers, in terms of the relevant contract.

12.	Verification of the Bank Guarantees: Bank Guarantees submitted by the tenderers as Earnest Money Deposit

(EMD)/Performance Security need to be immediately verified from the issuing bank before its acceptance, through written communication.



- 13. If the successful contractor's bid rate is 80% or less than the estimated amount put to tender the contractor will have to $submit a Bank Guarantee amounting to 10\% of the Tenderedamount before issue of Work order failing which the \ EMD will be a submit a Bank Guarantee amounting to 10\% of the Tenderedamount before issue of Work order failing which the EMD will be a submit a Bank Guarantee amounting to 10\% of the Tenderedamount before issue of Work order failing which the EMD will be a submit a Bank Guarantee amounting to 10\% of the Tenderedamount before issue of Work order failing which the EMD will be a submit a Bank Guarantee amount before issue of Work order failing which the EMD will be a submit a Bank Guarantee amount before issue of Work order failing which the EMD will be a submit a Bank Guarantee amount before issue of Work order failing which the EMD will be a submit a bank Guarantee amount before issue of Work order failing which the EMD will be a submit a bank Guarantee and the submit a bank Guarantee and Gu$ forfeitedandtheagencymaybeblacklisted.TheBankGuaranteeshouldbevalidtilltheendofthecontract periodandshallbe renewed accordingly if required. This bank Guarantee is an Additional Performance Security. So provision of deducting Security deposit from bills will hold goods per relevant clause of the contract. The bank Gurrantee shall be returned immediately on successful completion of contract.
- 14. Security Deposit: The University authority will retain a sum amounting to 10% of the bill of the contract for a period of six months from the date of completion of work as Security Deposit which will be released after a period of six months from the date of completion of the work on application.
- 15. EMD and Performance security should be paid in favour of UNIVERSITYOF CALCUTTA payable at Kolkata .EMD must be attached with the tender in sealed envelope, failing which the tender will be treated as cancelled.

16. EMD Amount:-Rs					
D.D No		Dated	/	/20	
Name of Issuing Bank	C				
Branch	: -				
17. Workisto becarri	edoutasper specification laid in the B.	O.Q or PWDsp	ecific	ationasper	ir

- nstructionofthe University Engineer or his representative.
- 18. The materials brought to site for execution of the work should by no means be taken out of site without the permission of the Engineer C.U.
- 19. The rates must be quoted in words and in figure, otherwise the tender will be cancelled.
- 20. The University will not be bound to accept the lowest bidder.

21. The University will not supply any materials to the contractor.
TO PART OF THE PAR
22. The contractor will work under the strict supervision of the Engineer/Sub-Assistant Engineer. The estimate given along with
the tender are provisional payment will be made on the actual work done jointly measured by the Engineer or his
representative (Sub-Assistant Engineer) & the contractor or his representative. The contractor will have to submit bill in printed
format in duplicate .
23. The contractor will have to take necessary instruction from the Engineer CU/Sub-Assistant Engineer regarding the execution
ofwork.
24. Defect& liability Period :-The defect & liability period will be for a period of 6(six) months from the date of
completion of the job. Any defects pointed out during this period has to be mend good by the agency at his/her own
cost, failing which the retention money will be forfeited.
25. After is suing the work order to the successful tenderer, if he fails to commence the work or unable to complete
the work, then the EMD /Performance security amount of the said tenderer will be forfeited and no claim will be
entertained.
Sd/-
University Engineer
Name of the Agency:
Address :-
SIGNATURE OF THE CONTRACTOR WITH SEAL AND DATE:



N. I.T.no- Eng /CT- 15 /21-22 (2nd call)

Dated: 01.09.2021

SPECIFIC PRICE SCHEDULE RENOVATION OF THE RESEARCH LABORATORY(ROOM NO 47) ALLOTTED TO DR. KUNAL PAL OF CHEMISTRY DEPARTMENT AT 1ST FLOOR OF PALIT BUILDING AT RAJABAZAR SCIENCE COLLEGE.

SL.NO.	DESCRIPTION OF ITEM.	UNIT.	QUANTITY.	RATI	Ξ.	AMO	JNT.
				RS.	P.	RS.	Р.
1. (page11 Item10).	Stripping off worn out plaster and raking out joints of walls, ceilings etc. Up to any height and in any floor including removing rubbish within a lead of 75m as directed.						
	2(9.35+6.25)2.6=81.12 9.35x6.25=58.44	Sqm.	140.00	19.0	0	2660	0.00
2. (page303 Item13).	Labour charge for removing furniture, chair, table etc.for executing work after complete the work re setting the same by labour.	Nos.	25.00	326.0	10	8150	00
3. (page10 Item1).	Dismantling all types of masonry excepting cement concrete plain or reinforced, stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m.	Cum.	1.50	497.0		745	
	5.2x3.7x0.06=1.15	Cuiii.	1.50	757.0		743	.50
4. (page275 Item2A).	Stitching crack in brick wall by carefully cutting out face brick 125 mm. Deep into the wall, cleaning the gap and filling up the same with precast cement concrete block carefully set in cement mortar (1:3) including mending good damages and finishing the surface to match with adjacent areas complete as per direction. With reinforced cement concrete blocks (1:1½:3) with stone chips and nominal reinforcement. Block size 250 x 125 x 150 mm	Nos.	10.00	127.(00	1270	0.00
6. (page189 Item1).	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary. With 1:6 cement mortar						

	25 mm thick plaster				
	25 5.15.1 p.3555.	Sqm.	140.00	199.00	27860.00
7.	Applying 2 coats of Non-Toxic Acrylic	-			
(page45	Polymer modified Paint having				
Item8b).	adhesive & waterproofing properties				
10011101071	by mixing in proportion (1 liquid: 4				
	cementitious material) or as per				
	manufacturer's specification for water				
	proofing layer.	Cam	70.00	258.00	18060.00
	(50% of plaster area).	Sqm.	70.00	256.00	18060.00
8.	Cement concrete (1:1.5:3) with graded				
(page40	stone chips 5.6 mm size with hexagonal				
Item27).	square mesh wire netting, I.R.C. fabric				
	mesh or X.P. M. Fitted and fixed after				
	tying the existing reinforcement on				
	concrete without distributing the same				
	and with proper scarping and cleaning				
	the reinforcement and disturbed				
	concrete with wire brush etc. After				
	applying a coat of cement including the				
	cost of wire netting I.R.C or X. P. M. &				
	cost of all handling and scaffolding				
	complete as per direction of Engineer-		60.00		2522
	in –charge.	Sqm.	60.00	587.00	35220.00
9.	Supplying, fitting & fixing 1 st quality				
(page64	Ceramic tiles in walls and floors to				
Item35).	match with the existing work & 4 nos.				
	Of key stones (10mm) fixed with				
	araldite at the back of each tile & finishing the joints with white cement				
	mixed with colouring oxide if required				
	to match the colour of tiles including				
	roughening of concrete surface, if				
	necessary or by synthetic adhesive &				
	grout materials etc.	Sqm.	65.00	858.00	55770.00
10.	Supplying profiles of required section	•			
(page233	made of Aluminium Alloy Extrusions				
Item1).	conforming to IS: 732-1983 and IS:				
itemij.	1285- 1975; Annodized (with required				
	film thickness and specified colour /				
	natural) matt finished conforming to IS:				
	1868-1983 for fabrication of composit				
	door, sliding & casement windows,				
	partitions, formed of basic sections of				
	any ISI embossed / certified make and				
	brand as per direction of Engineer –				
	InCharge.				
	Fixed partition				
	Top, bottom and side member.				
	3x2x3.65=22.90	Rmt.	62.00	321.00	19902.00
	4x2x4.88=39.04				
	Intermediate member				
	4x3x4.88=58.56				

	4x3x3.65=43.8				
	Glazing clip.	Rmt.	102.00	339.00	34578.00
	4x2x12x2(0.9+0.9)=346.00	Rmt.	346.00	50.00	17300.00
11.	Labour charge for fabrication and				
(page239	installation of composite door,				
Item2).	window, partitions made from				
1001112).	11nodized extruded alloy aluminium				
	sections.				
	Partly glazed partly panelled or fully				
	glazed single leaf alunminium swing				
	door made of extruded and 11nodized				
	alloy aluminium sections, fabrication				
	including cutting to proper shape and size, drilling and aligning, fitted with				
	heavy duty hydraulic action floor sping				
	placed in the floor with mending				
	damages, with top pin assembly of				
	approve make and brand, fitted with in				
	built locking arrangement, flush bolt,				
	glazing clips and all other necessary				
	fittings, fixtures, adhesives and				
	joineries, cutting glass of approved				
	make to requisite shape and size fitting				
	with dry set neoprene or EPDM				
	gasketing, cutting to requisite shape and size panel board (prelaminated				
	particle block) fixing them with glazing				
	clips as per drawing, specification and				
	direction of Engineer in charge.				
	(4.88+11.00)x2.4=38.11				
		Sqm.	40.00	1281.00	51240.00
12.	Supplying bubble free float glass of				
(page243	approved make and brand conforming				
Item9).	to IS: 2835-1987. 5 mm thick.	Sqm.	15.00	585.00	8775.00
13.	Wall panelling / partition with				
(page172	Melamine faced 3 layered flat pressed				
Item1).	wood particle board of approved make				
	and brand as per direction of Engineer – in – Charge of requisite grade bonded				
	with phenol formaldehyde synthetic				
	resin conforming to IS: 848 – 1974				
	(excluding the cost of supporting frame				
	Both side decorative laminate work				
	9 mm.	Sqm.	25.00	873.00	21825.00
14.	Providing and fixing of false ceiling				
(page157	with powder coated exposed G.I. grid				
Item2A).	suspension system (E-Grid T 2430 or				
	equivalent load carrying capacity with				
	mid span deflection not exceeding				
<u> </u>				1	

			I .	I	I .
	1/360 span with hanger spacing of				
	1200mm c/c) consisting of Main				
	Runner 3600 mm long, Cross Tee 1200				
	mm / 600 mm long and Wall Angle. The				
	Wall Angle shall be fixed on PVC Dash				
	Fasteners on the perimeter of the wall				
	by steel screws with distance 300mm				
	c/c. The Main Runners to be placed @				
	1200 mm. The Cross Tee 1200mm will				
	be inserted in the pre-cut slots of Main				
	Runner at regular interval of 600 mm				
	to form a modular grid of 1200mm X				
	600mm. Additional Cross Tees of 600				
	mm shall be placed perpendicular to				
	the Cross Tee 1200 mm long to finally				
	form a grid of 600 mm X 600 mm. Grid				
	of module size 600 mm X 600 mm shall				
	be supported by 6 mm dia G.I. wire				
	from purlins / soffit. 6 mm thick High				
	Pressure Steam Cured Non Asbestos				
	Fibre Cement Standard Ceiling Board				
	(Density > 1300 Kg/m3) of size 595 mm				
	X 595 mm, conforming IS 14862 & Type				
	B Category III of ISO 8336, tested as per				
	AS-1530 part 3 & BS-476 Part 4,5,6,7 &				
	8, should be placed in the Grid module				
	to form a False Ceiling. All complete as	Sqm	20.00	591.00	11820.00
	per the drawing	Jqiii	20.00	331.00	11020.00
15.	Labour charge for carpenter of				
(page303	repairing damaged door and window,				
Item5).	table, chair. Etc.	Nos.	15.00	326.00	4890.00
16.	M.S. structural works in columns,			020.00	1000100
_	beams etc. with simple rolled				
(page99	structural members (e.g. joists, angle,				
Item1).	channel sections conforming to IS: 226,				
	IS: 808 & SP (6)- 1964 connected to				
	one another with bracket, gussets,				
	cleats as per design, direction of				
	Engineer-incharge complete including				
	cutting to requisite shape and length,				
	fabrication with necessary bolting,				
	metal arc welding conforming to IS:				
	816- 1969 & IS: 1995 using electrodes				
	of approved make and brand				
	conforming to IS:814- 2004, haulage,				
	hoisting and erection all complete. The				
	rate includes the cost of rolled steel				
	section, consumables such as				
	electrodes, gas and hire charge of all				
	tools and plants and labour required				
	for the work including all incidental				
	chages such as electricity charges,				
	labour insurance charges etc.				
	ianoui ilisurance charges etc.				

	30x2.15x0.075x0.01x7850=379.74kg.	Kg.	380.00	59.12	22465.60
17.	Rendering the surface of walls and				
(page204	ceiling with white cement based wall				
Item5).	putty of approved make and	Sqm.	180.00	110.00	19800.00
,	brand(1.5mm thick)				
18.	Applying Interior grade Acrylic Primer				
(page195	of approved quality and brand on				
Item7).	plastered or concrete surface old or				
	new surface to receive Distemper/				
	Acrylic emulsion paint including				
	scraping and preparing the surface				
	throughly, complete as per				
	manufacturer's specification and as per	Sqm.	240.00	33.70	8088.00
_	direction of the EIC.	Jqiii.	240.00	33.70	8088.00
19.	Acrylic Distemper to interior wall,				
(page196	ceiling with a coat of solvent based				
Item10).	interior grade acrylic primer (as per				
	manufacturer's specification) including	Sqm.	240.00	70.00	16800.00
20	cleaning and smoothning of surface.				
20.	Priming one coat on timber or				
(page200	plastered surface with synthetic oil bound primer of approved quality				
Item1).	including smoothening surfaces by				
	sand papering.				
	Pan door-2x1.5x3.6x2.6=28.08				
	Joist-3x5.7x0.975=16.67				
	Flat pati-10x9.45x0.075=7.08				
	riat pati 10x3113x01073 7100	Sqm.	45.00	38.00	1710.00
21.	Painting with best quality synthetic				
(page200	enamel paint of approved make and				
Item2).	brand including smoothening surface				
	by sand papering etc. including using of	Sqm.	45.00	79.00	3555.00
	approved putty etc. on the surface	Jqiii.	75.00	73.00	3333.00
22.	Supplying, fitting and fixing G.I. pipes				
(page2	of TATA make with all necessary				
Item1).	accessories, specials viz. socket, bend,				
	tee, union, cross, elbo, nipple,				
	longscrew, reducing socket, reducing				
	tee, short piece etc. fitted with holder				
	bats clamps, including cutting pipes,				
	making threads, fitting, fixing etc.				
	complete in all respect including cost				
	of all necessary fittings as				
	required, jointing materials and two				
	coats of painting with approved paint				
	in any position above ground.				
	(Payment will be made on the centre				
	line measurements of total pipe line				
	including all specials. No separate payment will be made for accesories,	Rmt.	20.00	192.00	3840.00
	specials. Payment for painting will be				
	made seperately).				
	15 mm medium quality.				
		1		1	i l

23. (page41 Item2).	Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks, C.P. waste fittings of 32 mm dia., one approved quality brass C.P. pillar cock of 15 mm dia., C.P. chain with rubber plug of 30 mm dia., approved quality					
	P.V.C. waste pipe with C.P. nut 32 mm dia., 900 mm long approved quality P.V.C. connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets					
	with two coats of approved paint.	Each.	2.00	2208.00	4416.00	
ESTIMATE	D COST			RS	5.400739.60	
G.S.T @ 12	2 %			R:	S.48088.75	
TOTAL				RS	S.448828.35	
	ESS @ 1 %					
	ESS @ 1 %					
TOTAL EST	_					
Name Of T	IMATED COST					

UNIVERSITY ENGINEER (C.U)