

UNIVERSITY OF CALCUTTA

OFFICE OF THE UNIVERSITY ENGINEER 87/1, College Street Darbhanga Building, GroundFloor Kolkata-700073 Website :-www.caluniv.ac.in

NOTICE INVITINGQUOTATION

Univ	ersity of Calcutta inv	vites sealed tender from resourceful and bonafide contractors for the following work
1.	N.I.T. No:	Eng /CT-64/22-23 Date: 25.04.2022
2.		REPAIRING AND PAINTING AT RESEARCH LABORATORY OF DR. ROSHNARA MISHRA
	Name of the work:	OF PHYSIOLOGY DEPARTMENT AT RAJA BAZAR SCIENCE COLLEGE CAMPUS.
3.	Estimated Cost put to Tender:	Rs.144723.34 (Including G.S.T)
4.	Earnest Money:	A sum of 2% of the quoted amount in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. EMD is not exempted in any case.
5.	Time of completion:	30days
6.	Eligibility Criteria and Documents to be submitted along with Application.	Valid trade License, GST & PAN and credential for satisfactory completion of similar nature of job amounting75 % of the estimated value in a single tender in the last three financial years in Government /Government Undertaking or University of Calcutta. Original documents may be asked for verification of technical checking on the date of issuing tender paper. Failing to produce original documents, the tender will be rejected. The participant bidder must submit the following documents in sealed envelope in the tender box kept at the Office of the Engineer at the Ground Floor of the Darbhanga Building, University of Calcutta, 87/1, College Street, Kolkata – 700073 within the last date of submission of the tender. 1. NIT documents duly filled and signed by the intending bidder. 2. Bank Draft for EMD in favour of the University of Calcutta. 3. Self-attested copy of Valid trade License, GST & Pan and credentials for satisfactory completion of similar nature of jobs under Government, Government Undertaking and Universities etc. within last three years. 4. Application through postal service or courier service is not accepted.
7.	Last date of receipt of application for tender	On 27/04/2022 from 11AM to 4 PM (Must contain above mentioned document. The application duly signed by Engineer CU should be enclosed with tender documents.
8.	Last date of issue of tender papers	TO BE DOWNLOADED FROM WEBSITE.(www. caluniv.ac.in)
9.	Last Date and Time of tender Submission	Dully filled and signed tender/quotation to be submitted on 05 / 05/ 2022 from 11am to 2.00 PM in to the Tender Box kept in the Office of the University Engineer
10.	Date and Time of Tender Opening	At or after 05 / 05/ 2022 after 3 pm at the Office of the University Engineer. Intending bidders are requested to be present at the time of opening tenders/quotations.

N.I.T no : Name of work and the date of opening should be written on the sealed envelope otherwise tender will not be opened and will be rejected.

The undersigned reserves the right to reject any or all Tenders without assigning any reason what so ever.





UNIVERSITY OF CALCUTTA

Name of the work:- <u>REPAIRING AND PAINTING AT RESEARCH LABORATORY OF DR. ROSHNARA MISHRA OF</u>

PHYSIOLOGY DEPARTMENT AT RAJA BAZAR SCIENCE COLLEGE CAMPUS.

Date: 25.04.2022

N. I.T. no- Eng/CT-64/22-23

Estimated cost Put to Tender:-Rs. 144723	2.34 (Including G.S.T)
Name of Agency:-	
Address of Agency:-	
Rate quoted by Agency:- and words)	(in figure
Signature of the Agency w	ith date &stamp:-



UNIVERSITY OF CALCUTTA

N. I.T. no : Eng /CT-64/22-23 Date: 25.04.2022

GENERAL TERMS AND CONDITION

- 1. Eligible Tenders will have to download the tender papers from the website & drop the filled tender papers signed with seal and date at every page along with copy of Valid Trade license's, GST & PAN and Credential for satisfactory completion of similar nature of job amounting to at least seventy five percent of the job value in a single tender from any Government, Govt. undertaking or University of Calcutta in the last three financial yearin sealed envelope in the Tender box kept in the Office of the undersigned with in the specified time mentioned in the NITwhich will be opened by the undersigned or by his representative with in the specified time and date mentioned in the NIT The tendered must write the name of the work, NIT no, the date of opening and name of the bidder on the envelop failing which the tender will not be opened thus will be treated as cancelled.
- **2.** The rate should be quoted after inspection of the site and inclusive of all incidental charges i.e. freight, insurances, labour insurances, handling charges, necessary government taxes, duties etc as well as the Water, Electricity charges which are to be paid as per rules .
- **3**. The contractor shall be responsible to ensure compliance with the provision of minimum wages act 1948 as modified up to date and the rules made in respect of any employees, employed by the contractor directly or through the petty or subcontractor for the purpose of carrying this contract. The contractor shall be responsible for any damage, injury or loss caused by the work or workmen to any person, animal or material during the progress of work.
- **4.** Liquidated damage will be charged to the contractor if they fail to complete the work within the stipulated time, 0.01% per day to a maxi mumli mit of 10% of the contract value.



5. The allotted time for completion of the work as specified in the NIT from the date of receipt of work order .Time is the essence of this contract. Normally no time extension will be granted. In case of prayer for extension of time the University authority has the full right reserved to grant it or discard it.

6.If the successful contractor's bid rate is 80% or less than the estimated amount put to tender the contractor will have to submit a Bank Guarantee amounting to 10% of the Tendered amount before issue of Work order failing which the EMD will be forfeited and the agency may be blacklisted. The Bank Guarantee should be valid till the end of the contract period and shall be renewed accordingly if required. This bank Guarantee is an Additional Performance Security .So provision of deducting Security deposit from bills will hold goods per relevant clause of the contract. The bank Gurrantee shall be returned immediately on successful completion of contract.

(b) The University authority will retain a sum amounting to 10% of the bill of the contract for a period of six months from the date of completion of work as **Security Deposit**. Which will be released after a period of six months from the date of completion of the work on application.

7. A sum of 2% of the quoted amount in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. EMD is not exempted in any case. The earnest money will be returned to unsuccessful tenderers on application after issue of work order to the successful bidder for successful tenderer the EMD will be returned on application after an equal amount of security deposit is deducted from the running bills.

Amount:-Rs			
D.D No	Dated	/	/20
Name of Issuing Bank:			
Branch :-			

8. Work is to be carried out as per specification laid in the B.O.Q or PWD specification as per instruction of the University Engineer or his representative.



- **9.**The materials brought to site for execution of the work should by no means be taken out of site without the permission of the Engineer C.U.
- **10.** The rates must be quoted in words in figure otherwise the tender will be cancelled.
- 11. The University will not be bound to accept the lowest bidder.
- **12**. The University will not supply any materials to the contractor.
- **13**. The contractor will work under the strict supervision of the Engineer/ Sub-Assistant Engineer. The estimate given along with the tender are provisional payment will be made on the actual work done jointly measured by the Engineer or his representative (Sub-Assistant- Engineer) & the contractor or his representative. The contractor will have to submit bill in printed format in duplicate.
- **14.** The contractor will have to take necessary instruction from the Engineer CU/ Sub-Assistant Engineer regarding the execution of work.
- 15. Defect & liability Period: The defect & liability period will be for a period of six months from the date of completion of the job. Any defects pointed out during this period has to be mend good by the agency at their own cost failing which the retention money will be for feited.

Sd/-

University Engineer

Name of the Agency:

Address:-

Signature of the Agency with date &stamp:-

ESTIMATE FOR REPAIRING AND PAINTING AT RESEARCH LABORATORY OF DR. ROSHNARA MISHRA OF PHYSIOLOGY DEPARTMENT AT RAJA BAZAR SCIENCE COLLEGE CAMPUS.

SL.NO.	DESCRIPTION OF ITEM.	UNIT.	QUANTITY.	RATE.	AMOUNT.
				RS. P.	RS. P.
1. (Page11 Item10).	Stripping off worn out plaster and raking out joints of walls, ceilings etc. Up to any height and in any floor including removing rubbish within a lead of 75m as directed.	Sqm.	15.00	19.00	285.00
2. (page40 Item27).	Cement concrete (1:1.5:3) with graded stone chips 5.6 mm size with hexagonal square mesh wire netting, I.R.C. fabric mesh or X.P. M. fitted and fixed after tying the existing reinforcement on concrete without distributing the same and with proper scarping and cleaning the reinforcement and disturbed concrete with wire brush etc. after applying a coat of cement including the cost of wire netting I.R.C or X. P. M. & cost of all handling and scaffolding complete as per direction of				
	Engineer-in -charge	Sqm.	10.00	587.00	5870.00
3. (page45 Item8b).	Applying 2 coats of Non-Toxic Acrylic Polymer modified Paint having adhesive & waterproofing properties by mixing in proportion (1 liquid: 4 cementitious material) or as per manufacturer's specification.	Sqm.	10.00	258.00	2580.00
4. (page45 Item8a).	Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department].	Sqm.	15.00	88.0	1320.00
5. (page45 Item6).	Cleaning the exposed reinforcement preferably up to full diameter by wire brush, applying two coats of polymer based rust removing compound left for 24 hours, removing the coating and then applying two (2) coats of polymer modified anti corrosive protective coating formulated to inhibit the corrosion of reinforcement as per manufacturer's specification][Mode of measurement:T				

		Sqm.	1.00	782.00	782.00
6.	Plaster (to wall, floor, ceiling etc.) with				
(page189	sand and cement mortar including				
Item1).	rounding off or chamfering corners as				
	directed and raking out joints including				
	throating, nosing and drip course, scaffolding/staging where necessary.				
		Sqm.	15.0	199.00	2985.00
7.	Wood work in door and window frame				
(page114	fitted and fixed in position complete				
Item1).	including a protective coat of painting at the contact surface of the frame exluding				
	cost of concrete, Iron Butt Hinges and M.S				
	clamps. (The quantum should be correted				
	upto three decimals).				
	Sal-malayasian.	_			
	,	Cum.	0.3	83218.00	24965.40
8.	Supplying & laying of approved brand of				
(page76	scratch proof, semi flexible P.V.C. blended homogeneous marble Vinyle flooring in				
Item1).	tiles conforming to IS:3461, fixing with				
	synthetic acrylic adhesive after preparing				
	the floor, levelling & smothaning when				
	necessary with suitable putty, as per the				
	design & instruction of the Engineer-in-	Cam	18.00	F79 00	10566.00
	charge. 3.5x4.7=16.45	Sqm.	18.00	578.00	10566.00
9.	Supplying, fitting and fixing boiling water				
(page173	proof ply conforming to IS: 710-1977				
Item2).	bonded with phenol formaldehyde synthetic resin conforming to IS: 848-1974				
	of approved make and brand fitted and				
	fixed as per design as per approval and				
	direction of Engineer-in-Charge.				
	6 mm thick.	Cam	18.00	1122.00	20106.00
10.	Supplying profiles of required section made	Sqm.	18.00	1122.00	20196.00
(page233	of Aluminium Alloy Extrusions conforming				
Item1).	to IS: 732-1983 and IS: 1285- 1975;				
itemij.	Annodized (with required film thickness				
	and specified colour / natural) matt				
	finished conforming to IS: 1868-1983 for				
	fabrication of composit door, sliding &				
	casement windows, partitions, formed of				
	basic sections of any ISI embossed /				
	certified make and brand as per direction of Engineer – In -Charge. (Payment will be				
	made on finished length of the work).				
	Fixed partitions. (Unsupported length of				
	vertical member upto 1.5 mtr. Height of				
	both ends of vertical member restrained				
	but panels with in 0.9 sq.m.)				
	i) bottom frame				
	1x1.2=1.2	Rmt.	2.00	218.00	436.00
	1/11/2 11/2	1		<u> </u>	

	ii) Top and side frame.				
	1x1.2=1.2				
	2x0.6=1.2	Rmt.	3.00	195.00	585.00
	Shutter for all track sliding window				
	Bottom and top member.	Rmt.	3.00	137.00	411.00
	2x1.2=2.4	Mille.	3.00	137.00	411.00
	Style side member.		2.00	422.00	264.00
	2x0.6=1.2	Rmt.	2.00	132.00	264.00
	Style side member.				
	2x0.6=1.2	Rmt.	2.00	166.00	332.00
11.	Supplying and laying true to line and level				
(page66	vitrified tiles of approved brand (size not				
Item36).	less than 600 mm X 600 mm X 10 mm				
itemso).	thick) in floor, skirting etc. set in 20 mm				
	sand cement mortar (1:4) and 2 mm thick				
	cement slurry back side of tiles using				
	cement @ 2.91Kg./sqM or using				
	polymerised adhesive (6 mm thick layer				
	applied directly over finished artificial				
	stone floor/Mosaic etc without any backing				
	course) laid after application slurry using				
	1.75 Kg of cement per sqM below mortar				
	only, joints grouted with admixture of				
	white cement and colouring pigment to				
	match with colour of tiles / epoxy grout				
	materials of approved make as directed				
	and removal of wax coating of top surface				
	of tiles with warm water and polishing the				
	tiles using soft and dry cloth upto mirror				
	finish complete including the cost of				
	materials, labour and all other incidental				
	charges complete true to the				
	manufacturer's specification and direction				
	of Engineer-in-Charge. (White cement,				
	synthetic adhesive and grout material to be				
	supplied.				
	3.5x4.7=16.45				
	2(3.5+4.7)0.2=3.28	Sqm.	20.00	1276.00	25520.00
12.	Installation of composite door, window,	-1 ***			
(page239	partitions made from annodized extruded				
	alloy aluminium sections for	Cours	0.00	606.00	FEC0.00
Item2)	2 track sliding window	Sqm.	8.00	696.00	5568.00
	1.2 x0.6=7.2				
13.	Supplying bubble free float glass of				
	approved make and brand conforming to				
(page243	IS: 2835-1987.			566.55	F 60 66
Item9).		Sqm.	1.0	562.00	562.00
4.4	1.15x0.55=0.63				
14.	Applying Interior grade Acrylic Primer of				
(page195	approved quality and brand on plastered				
Item7).	or concrete surface old or new surface to				
	receive Distemper/ Acrylic emulsion paint				

I					l l
	including scraping and preparing the				
	surface 9horoughly, complete as per				
	manufacturer's specification and as per				
	direction of the EIC.				
	3.5x4.85=16.98	Sqm.	35.00	33.70	1179.5
	3.5x4.7=16.45				
15.	Acrylic Distemper to interior wall, ceiling				
(page196	with a coat of solvent based interior grade				
Item10).	acrylic primer (as per manufacturer's				
	specification) including cleaning and				
	smoothning of surface.	Sqm.	35.00	70.00	2450.00
16.	Painting with best quality synthetic enamel				
(page200	paint of approved make and brand				
Item1+2).	including smoothening surface by sand				
	papering etc. including using of approved				
	putty etc. on the surface				
	With a coat of primer.				
	Wall-4.7x4.85=23.85				
	2x3.5x4.85=3.95	C	100.00	447.00	11700.00
	3.5x4.7=16.45	Sqm.	100.00	117.00	11700.00
	Stair-2x4.5x0.7=6.3				
	15x1.1x0.7=11.55				
17.	Removal of rubbish, earth etc. from the				
(p-12	working site and disposal of the same				
i-13)	beyond the compound, in conformity with				
	the Municipal / Corporation Rules for such				
	disposal, loading into truck and cleaning				
	the site in all respect as per direction of	cum	5.0	166.00	830.00
	Engineer in charge	Carri	5.0	100.00	030.00
18.	Supply of carpenter for dismantling the				
	damaged partition and removal of				
	materials etc.	no	10.00	326	3260.00

TOTAL ESTIMATED COST	RS.122646.90
Add 18% GST	Rs.22076.44
Total estimated cost	Rs.144723.34

Name of the Agency

Address of the Agency

Rate quoted by the Agency

Signature of the Agency with date