

## **UNIVERSITY OF CALCUTTA**

OFFICE OF THE UNIVERSITY ENGINEER 87/1 College Street Darbhanga Building, GroundFloor Kolkata-700073 Website :-www.caluniv.ac.in

### NOTICE INVITING TENDER

			NOTICE INVITING TENDER
	ersity of Calcutta	invit	es sealed tender from resourceful and bonafide contractors for the following work:
1.	N.I.T. No	:	Eng/CT-183 /21-22 Dated 30.11.2021
2.	Name of Work		PROVIDING COUNTER FOR DIFFERENT TYPE OF SHOP INCLUDING LIGHT WEIGHT PARTITON WALL AT WORK SHOP BUILDING OF NANO TECHNOLOGY CAMPUS, SALT LAKE, UNDER UNIVERSITY OF CALCUTTA.
3.	Estimated Cost put to Tender	1.	Rs. 371156.36 (Excluding G.S.T) GST to be paid extra as applicable
4.	Earnest Money Deposit (EMD)	Ţ	A sum of <b>Rs. 18600.00 (Rupees eighteen thousand six hundred only)</b> in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated as cancelled. The earnest money will be returned to the unsuccessful bidder on application after issuing work order the successful bidder. Exemption of EMD is not allowed.
5	Bid validity period	:	60(sixty) days after opening of the tender.
6	Time of completion	:-	60days
7	Eligibility Criteria and Documents to be submitted along with Application.	T.	Valid trade License, GST & PAN and credential for satisfactory completion of similar nature of job amounting75 % of the estimated value in a single tender in the last three financial years in Government or University of Calcutta. Original documents may be asked for verification of technical checking on the date of issuing tender paper. Failing to produce original documents, the tender will be rejected. The participant bidder must submit the following documents in sealed envelope in the tender box kept at the Office of the Engineer at the Ground Floor of the Darbhanga Building, University of Calcutta, 87/1, College Street, Kolkata – 700073 in the last date of submission of the tender.  1. NIT documents duly filled and signed by the intending bidder. 2. Bank Draft for EMD in favour of the University of Calcutta. 3. Self-attested copy of Valid trade License, GST & Pan and credentials for satisfactory completion of similar nature of jobs under Government or University of Calcutta etc. within last three years. 4. Issued paper with application must be enclosed in scaled envelope. 5. Valid Paste Control License issued by Govt. West Bengal. Application through postal service or courier service is not accepted.
8.	Date of Submission of	:	.12.2021 (12 pm to 3 pm)
9.	Application  Date of issue of tender paper	:	.12.2021 (12 pm to 3 pm)
9.	Date and Time of tender Submission	ı.	Dully filled and signed tender to be submitted on .12.2021 (11 am to 2.00 PM) in to the Tender Box kept in the Office of the University Engineer
10.	Date and Time of Tender Opening	:-	At or after 3:00 PM on 12.2021at the Office of the University Engineer. Intending bidders are requested to be present at the time of opening tenders/quotations.
N.B:	Tender Opening		be present at the time of opening tenders/quotations.

#### N.B:

(i) N.I.T /NIQ no,Name of work, name of the bidder and the date of opening tender/quotation should be written on the sealed envelope, failing which the tender/quotation will not be opened and thus cancelled.

(ii)The undersigned reserves the right to reject any or all Tenders/quotations without assigning any reason what so ever.



UNIVERSITY ENGINEER (C.U)



NIT NO:- Eng/CT-183 /21-22	Dated 30.11.2021
Name of Work:	
PROVIDING COUNTER FOR DIFFERENT TYPE OF SHOP INC BUILDING OF NANO TECHNOLOGY CAMPUS, SALT LAKE,	CLUDING LIGHT WEIGHT PARTITON WALL AT WORK SHOP UNDER UNIVERSITY OF CALCUTTA.
Estimated cost put to tender : Rs. 371156.36	
Rate Quoted by the Agency :	% .( Percentage)Below / Above / At Par
Signature of the Agency with Date & Stamp.	



# UNIVERSITY OF CALCUTTA

N. I.T. No.- Eng/CT-183 /21-22

Dated 30.11.2021

### TENDER AND CONTRACT FOR WORK

### GENERAL TERMS AND DIRECTION FOR THE GUIDANCE OF CONTRACT

- 1. Eligible Tenders will have to download the tender papers from the website & drop the filled tender papers signed with seal and date at every page along with copy of Valid Trade license's, GST & PAN and Credential for satisfactory completion of similar nature of job amounting to at least seventy five percent of the job value in a single tender from any Government, Govt. undertaking or University of Calcutta in the last three financial year in sealed envelope in the Tender box kept in the Office of the undersigned with in the specified time mentioned in the NIT. Which will be opened by the undersigned or by his representative with in the specified time and date mentioned in the NIT. The tendered must write the name of the work, NIT no, the date of opening and name of the bidder on the envelop failing which the tender will not be opened thus will be treated as cancelled.
- 2. The rate should be quoted after inspection of the site and inclusive of all incidental charges i.e. freight, insurances, labour insurances, handling charges, necessary government taxes, duties etc. as well as the Water, Electricity charges which are to be paid as per rules.
- 3. The contractor shall be responsible to ensure compliance with the provision of minimum wages act 1948 as modified up to date and the rules made in respect of any employees, employed by the contractor directly or through the petty or subcontractor for the purpose of carrying this contract. The contractor shall be responsible for any damage, injury or loss caused by the work or workmen to any person, animal or material during the progress of work.
- 4. **Time Extension:** The allotted time for completion of the work is as specified in the NIT from the date of receipt of work order .Time is the essence of this contract. Normally no time extension will be granted. In case of prayer for extension of time the University authority has the full right reserved to grant it or discard it.



- 5. Liquidated damage will be charged to the contractor, if they fail to complete the work within the stipulated time as per contract@0.01% per day to a maximum limit of 10 % of the contract value .
- **6. Earnest Money Deposit**: Depending on the type of goods to be purchased or work to be done, Earnest Money Deposit (EMD), also known as Bid Security, may be obtained from the bidders-except those who are registered with National Small Industries Corporation (NSIC) or MSME to safeguard against a bidder withdrawing/altering his bid during the bid validity period. The bidders are required to furnish Earnest Money Deposit (EMD) along with their bids. Amount of Earnest Money Deposit (EMD) should be five per cent of the estimated value of the goods to be purchased or work to be done. The Earnest Money Deposit (EMD) may be accepted in the form of Account Payee Demand Draft, Banker's Cheque or a Bank Guarantee in acceptable form from any of the Nationalized Banks, safeguarding the purchaser's interest in all respects. The Earnest Money Deposit (EMD) shall remain valid for a period of sixty days beyond the final tender validity period. The Bid Validity Period may be extended if required.
- 7. Refund of Earnest Money Deposit (EMD): Earnest Money Deposit (EMD) furnished by all unsuccessful bidders should be returned to them without any interest whatsoever, at the earliest after the expiry of the final bid validity period but not later than forty five days after the award of the contract. Earnest Money Deposit (EMD) of the successful tenderer should be returned, without any interest whatsoever, after receipt of performance security from him as stipulated in the contract.
- **8. Forfeiture of Earnest Money Deposit (EMD):** Earnest Money Deposit (EMD) of a tenderer shall be forfeited, if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of his tender. Further, if the successful tenderer fails to furnish the required performance security within the specified period, his Earnest Money Deposit (EMD) shall be forfeited.
- 9. Performance Security: To ensure due performance of the contract, performance security is to be obtained from the successful bidder awarded the contract except those who are registered with National Small Industries Corporation (NSIC). Performance Security should be of an amount of ten per cent of the value of the contract. Performance Security should be furnished in the form of an Account Payee Demand Draft, or Bank Guarantee from a Nationalized Bank in an acceptable form safeguarding the purchaser's interest in all respects. Performance Security is to be furnished within twenty one days after notification of the award of contract and it should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier, including warranty obligations.
- **10. Refund of Performance Security:** Performance Security should be refunded to the supplier without any interest, whatsoever, after he duly performs and completes the contract in all respects but not later than sixty days of completion of all such obligations under the contract.
- **11. Forfeiture of Performance Security:** Performance security is to be forfeited and credited to University of Calcutta in the event of a breach of contract by the tenderers, in terms of the relevant contract.
- **12. Verification of the Bank Guarantees:** Bank Guarantees submitted by the tenderers as Earnest Money Deposit (EMD)/Performance Security need to be immediately verified from the issuing bank before its acceptance, through written communication.



13.If the successful contractor's bid rate is 80% or less than the estimated amount put to tender the contractor will have to submit a Bank Guarantee amounting to 10% of the Tendered amount before issue of Work order failing which the EMD will be forfeited and the agency may be blacklisted. The Bank Guarantee should be valid till the end of the contract period and shall be renewed accordingly if required. This bank Guarantee is an Additional Performance Security .So provision of deducting Security deposit from bills will hold goods per relevant clause of the contract. The bank Guarantee shall be returned immediately on successful completion of contract.

- 14. **Security Deposit**: The University authority will retain a sum amounting to 10% of the bill of the contract for a period of six months from the date of completion of work as Security Depositwhich will be released after a period of six months from the date of completion of the work on application.
- 15. EMD and Performance security should be paid in favour of UNIVERSITYOF CALCUTTA payable at Kolkata .EMD must be attached with the tender in sealed envelope, failing which the tender will be treated as cancelled.

16. EMD Amount:	-Rs			
D.D No		Dated	/	/21
Name of Issuing Ba	ank:			
Branch	; <del>-</del>			

- 17. Work is to be carried out as per specification laid in the B.O.Q or PWD specification as per instruction of the University Engineer or his representative.
- 18. The materials brought to site for execution of the work should by no means be taken out of site without the permission of the Engineer C.U.
- 19. The rates must be quoted in words and in figure, otherwise the tender will be cancelled.
- 20. The University will not be bound to accept the lowest bidder.
- 21. The University will not supply any materials to the contractor.



- 22. The contractor will work under the strict supervision of the Engineer/ Sub-Assistant Engineer. The estimate given along with the tender are provisional payment will be made on the actual work done jointly measured by the Engineer or his representative(Sub-Assistant Engineer)& the contractor or his representative. The contractor will have to submit bill in printed format in duplicate.
- 23. The contractor will have to take necessary instruction from the Engineer CU/ Sub-Assistant Engineer regarding the execution of work.

24.Defect & liability Period: The defect & liability period will be for a period of  $6(\sin x)$  months from the date of completion of the job. Any defects pointed out during this period has to be mend good by the agency at his/her own cost, failing which the retention money will be for feited.

25. After issuing the work order to the successful tenderer, if he fails to commence the work or unable to complete the work, then the EMD /Performance security amount of the said tenderer will be forfeited and no claim will be entertained.

UNIVERSITY ENGINEER (C.U)

Name of the Agency:

Address:-

SIGNATURE OF THE CONTRACTOR WITH SEAL AND DATE:

NIT NO. Eng/CT-183 /21-22 Dated 30.11.2021

PRICE SCHEDULE FOR PROVIDING COUNTER FOR DIFFERENT TYPE OF SHOP INCLUDING LIGHT WEIGHT PARTITON WALL AT WORK SHOP BUILDING OF NANO TECHNOLOGY CAMPUS. SALT LAKE. UNDER UNIVERSITY OF CALCUTTA

	NANO ILCINOLOGI CAMIFOS, SALI LAKL,	UNDER UNIVERSITY OF CALCUTTA.			
SI no.	Description of works	Unit	Rate	Quantity	Amount
1	Dismantling artificial stone flooring upto 50 mm thick by carefully chiselling without damaging the base and removing rubbish as directed with in a lead of 75 mtr./ 2.4.x0.3 x 5 + 2.4x0.1x2x5 =				200
2	Brick works in 1st class brick with cement mortar	sqm	50	6	300
	(1:6) in Gr. Floor / 2.4 x 1.0x0.25x5 = 3.0	Cum	5529	3	16587
3	125 mm thick brick work with 1st class bricks in cement mortar (1:4) / 2.4x0.6x5 + 1.0x2x1.0 x 5= 17.20 sqm.	sqm	724	17.2	12452.8
4	Supplying, fitting & fixing granite slab 15mm to 18mm thick in floor, lobby, stair, landing and treads etc. over 20mm (avg) thick base of cement mortar (1:2) laid with white cement slurry @ 4.40Kg per Square meter before placing of granite and jointed with white cement slurry @ 2.0 Kg per square meter with necessary pigments and complete as per direction of Engineer-in-charge including cost of all materials, labours, curing and roughening of concrete surface complete. Area of each Granite			0	04904
5	slab 0.6 to 1.0 Square meter / 2.4 x0.75x 5 = 9.0	Sqm	2766	9	24894
3	Supplying, fitting and fixing Black Stone slab used in Kitchen slab, alcove, wardrobe etc. laid and jointed with necessary adhesive Cement mortar (1:2) including grinding or polishing as per direction of Engineer-in -Charge in Ground Floor.) Slab Thickness above 25 mm and upto 37.5 mm ( 2.4x0.75x3x5+1.0x0.75x2x2x5 = 42.0	Sqm	712	42	29904
6	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints or roughening of concrete surface, including throating, nosing and drip course where necessary (ground floor) /with 6:1 cement mortar / 20 mm thick / 2.4x1x2x5+1x2x1x2x5 =44.0				
		Sqm	167	44	7348
7	Rendering the surface of walls and ceiling with wall putty of approved make and brand (thickness not less than 1.5 mm.)	Sqm	122	44	5368
8	Supplying, fitting & fixing of Aluminium fixed partition wall of all aluminium sections viz top, bottom and side member, intermediate member, glazing clip made of Aluminium Alloy Extrusions conforming to IS: 733-1983 and IS: 1285-1975, annodized conforming to IS:1868- 1983, fitted with all other accessories viz. EPDM gusket, cleat, angle screws etc. including labour charges for fitting and fixing of aluminium fixed partition wall with glass / panel board all complete as per architectural drawings and direction of Engineer-in-charge. (Excluding cost of glass/ panel board, 10-12 Micron thickness Annodizing film. Natural white.				0

1		]		l	
	) for unsupported length of vertical member upto 1.50m. height of both ends of vertical member				
	restrained but panel above 0.90 / (9+3+2.4+2.4) x3.5 x 5.0 kg/ sqm = 294 kg	ka	387	204	112770
9		kg	387	294	113778
	Wall paneling / partition with Melamine faced 3 layered flat pressed wood particle board of approved make and brand as per direction of Engineer - in - Charge of requisite grade bonded with phenol formaldehyde synthetic resin conforming to IS: 848 - 1974 (excluding the cost of supporting frame work and teak wood battens / lipping) bothside laminated / 12 mm thick / (7.8+9.)2.3 =	sqm	1083	38.64	41847.12
10	Supplying hubble free fleet gloss of approved make				
	Supplying bubble free float glass of approved make and brand conforming to IS: 2835-1987; (A) clear,				
	toughened glass conforming to IS: 2553-1992 (part-	cam	957	20.46	10202.12
11	II) 6 mm thick / (7.8+9.0)x1.2 = 20.16  Removing old scales, blisters etc. of interior surface	sqm	337	20.16	19293.12
	of walls, ceiling by scraping etc. and preparing				
	smooth and even surface with rendering or cement mortar (2:1) (as necessary), to make the surface				
	suitable for receiving distemper.	Sqm	10.17	425.88	4331.20
12	Applying interior grade acrylic primer of approved	Sqiii	10.17	423.00	4331.20
	quality and brand on plastered or concrete surface old or new surface to receive distemper / acrylic				
	emulsion paint including scraping and preparing the				
	surface thoroughly, complete as per manufacturer's specification and as per direction of EIC./ two coats/				
	solvent based interior grade Acrylic primer.				
	(18.23+12.19)x3.5x2 = 212.94 + 44 = 256.94	Sqm	48.5	256.94	12461.59
13	Dejetion with best modified with the second	2-7			
	Painting with best quality synthetic paint of approved make and brand including smoothing the surface by				
	sand papering etc. including using of approved putty				
	on the surface if necessary./ with super gloss / two coats	Sq.M	81	469.88	38060.28
14	Supplying , fitting and fixing of wooden Shutter		- 01	100.00	00000.20
	made of 19 mm ply and laminated with 1mm thick				
	laminated at top complete as per drawing and design of Engineer in Charge including cost of				
	necessary fittings such as hinges, lock etc and	0.6	475	00 77	44504.05
	polishing. / area : 2.5x2.5x3x5 = 93.75 sqft	Sqft.	475	93.75	44531.25 <b>274456.26</b>
				Total	371156.36

**Excluding the Cost of GST and Other Taxes**.

Name Of the Agency : -	
Address of the Agency:	
Amount quoted by the Agency:percentage above/ at par / below )	% (

Name Of the Agency : -
Address of the Agency:
Amount quoted by the Agency:% ( percentage above/ at par / below )

Total cost is	s excluding the cost of GST.	
	GST	will be added extra as applicable
ı	Name Of the Agency : -	
	Address of the Agency:	
	Amount quoted by the Agency:%	( percentage above/ at par / below )