

### UNIVERSITY OF CALCUTTA

OFFICE OF THE UNIVERSITY ENGINEER 87/1, College Street Darbhanga Building, GroundFloor Kolkata-700073 Website :-www.caluniv.ac.in

Univ	versity of Calcutta inv	vites sealed tender from resourceful and bonafide contractors for the following work				
1.         N.I.T. No:         Eng /CT-92/22-23         Date: 06-05-22						
2.	Name of the work:	<u>RENOVATION WORK IN INSTRUMENT FACILITY ROOM AT 2<sup>ND</sup> FLOOR OF APPLIED</u> <u>PHYSICS BLDG. AT RAJA BAZAR SCIENCE COLLEGE CAMPUS.</u>				
3.	Estimated Cost put to Tender:	<u>Rs.116137.49 (Including GST)</u>				
4.	Earnest Money:	A sum of 2% of the quoted amount in the form of <b>CTS</b> demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. <b>EMD is not exempted in any case.</b>				
5.	Time of completion:	30days				
6.	Eligibility Criteria and Documents to be submitted along with Application.	<ul> <li>Valid trade License, GST &amp; PAN and credential for satisfactory completion of similar nature of job amounting75 % of the estimated value in a single tender in the last three financial years in Government /Government Undertaking or University of Calcutta. Original documents may be asked for verification of technical checking on the date of issuing tender paper . Failing to produce original documents, the tender will be rejected.</li> <li>The participant bidder must submit the following documents in sealed envelope in the tender box kept at the Office of the Engineer at the Ground Floor of the Darbhanga Building, University of Calcutta, 87/1, College Street, Kolkata – 700073 within the last date of submission of the tender.</li> <li>NIT documents duly filled and signed by the intending bidder.</li> <li>Bank Draft for EMD in favour of the University of Calcutta.</li> <li>Self-attested copy of Valid trade License, GST &amp; Pan and credentials for satisfactory completion of similar nature of jobs under Government, Government Undertaking and Universities etc. within last three years.</li> <li>Application through postal service or courier service is not accepted.</li> </ul>				
7.	Last date of receipt of application for tender	On 11/05/2022 from 11 am to 4 pm (Must contain above mentioned Documents.) The application duly signed by Engineer CU should be enclosed with tender documents.				
8.	Last date of issue of tender papers	TO BE DOWNLOADED FROM WEBSITE. (www. caluniv.ac.in)				
Э.	Last Date and Time of tender Submission	Dully filled and signed tender/quotation to be submitted on 18 / 05/ 2022 from 11 am to 2.00 PM in to the Tender Box kept in the Office of the University Engineer				
10.	Date and Time of Tender Opening	At or after 3.00 PM 18/05/2022 at the Office of the University Engineer. Intending bidders are requested to be present at the time of opening tenders/quotations.				
N.I	T no : Name of work a	Ind the date of opening should be written on the sealed envelope otherwise tender will not be opened and will be rejected.				



## UNIVERSITY OF CALCUTTA

## Name of the work:-<u>RENOVATION WORK IN INSTRUMENT FACILITY ROOM AT 2<sup>ND</sup> FLOOR OF APPLIED PHYSICS</u> <u>BLDG. AT RAJA BAZAR SCIENCE COLLEGE CAMPUS.</u>

N. I.T. no- Eng /CT-92/22-23 Date: 06-05-22

Estimated cost Put to Tender:-Rs. 116137.49 (Including GST)

Name of Agency:-

Address of Agency:-

Rate quoted by Agency:- ..... (in figure and words)

Signature of the Agency with date &stamp:-



# UNIVERSITY OF CALCUTTA

N. I.T. no : Eng /CT-92/22-23

Date: 06-05-22

#### **GENERAL TERMS AND CONDITION**

1. Eligible Tenders will have to download the tender papers from the website & drop the filled tender papers signed with seal and date at every page along with copy of Valid Trade license's, GST & PAN and Credential for satisfactory completion of similar nature of job amounting to at least seventy five percent of the job value in a single tender from any Government, Govt. undertaking or University of Calcutta in the last three financial yearin sealed envelope in the Tender box kept in the Office of the undersigned with in the specified time mentioned in the NITwhich will be opened by the undersigned or by his representative with in <u>the specified time and date mentioned in the NIT</u> The tendered must write the name of the work, NIT no, the date of opening and name of the bidder on the envelop failing which the tender will not be opened thus will be treated as cancelled.

2. The rate should be quoted after inspection of the site and inclusive of all incidental charges i.e. freight, insurances, labour insurances, handling charges, necessary government taxes, duties etc as well as the Water, Electricity charges which are to be paid as per rules.

**3**. The contractor shall be responsible to ensure compliance with the provision of minimum wages act 1948 as modified up to date and the rules made in respect of any employees, employed by the contractor directly or through the petty or subcontractor for the purpose of carrying this contract. The contractor shall be responsible for any damage, injury or loss caused by the work or workmen to any person, animal or material during the progress of work.

**4.** Liquidated damage will be charged to the contractor if they fail to complete the work within the stipulated time, 0.01% per day to a maximum limit of 10% of the contract value.



**5.** The allotted time for completion of the work as specified in the NIT from the date of receipt of work order .Time is the essence of this contract. Normally no time extension will be granted. In case of prayer for extension of time the University authority has the full right reserved to grant it or discard it.

**6.**If the successful contractor's bid rate is 80% or less than the estimated amount put to tender the contractor will have to submit a Bank Guarantee amounting to 10% of the Tendered amount before issue of Work order failing which the EMD will be forfeited and the agency may be blacklisted. The Bank Guarantee should be valid till the end of the contract period and shall be renewed accordingly if required. This bank Guarantee is an Additional Performance Security .So provision of deducting Security deposit from bills will hold goods per relevant clause of the contract. The bank Gurrantee shall be returned immediately on successful completion of contract.

(b) The University authority will retain a sum amounting to 10% of the bill of the contract for a period of six months from the date of completion of work as **Security Deposit**. Which will be released after a period of six months from the date of completion of the work on application.

**7.** A sum of 2% of the quoted amount in the form of CTS demand draft in favour of University of Calcutta payable at Kolkata is to be attached with the Tender as earnest money failing which the tender will be treated cancelled. The earnest money will be returned to unsuccessful tenders on application after issuing of work order to the successful bidder. In case of successful tender the EMD will be returned on application after an equal amount of security deposit is ducted by the University from the running bills. EMD is not exempted in any case. The earnest money will be returned to unsuccessful tenderers on application after issue of work order to the successful bidder for successful tenderer the EMD will be returned on application after is deducted from the running bills.

#### Amount:-Rs

D.D No	Dated	/	/20

Name of Issuing Bank:--

Branch :-

**8.** Work is to be carried out as per specification laid in the B.O.Q or PWD specification as per instruction of the University Engineer or his representative.



**9.**The materials brought to site for execution of the work should by no means be taken out of site without the permission of the Engineer C.U.

**10.** The rates must be quoted in words in figure otherwise the tender will be cancelled.

**11.** The University will not be bound to accept the lowest bidder.

12. The University will not supply any materials to the contractor.

**13**. The contractor will work under the strict supervision of the Engineer/ Sub-Assistant Engineer. The estimate given along with the tender are provisional payment will be made on the actual work done jointly measured by the Engineer or his representative (Sub-Assistant-Engineer) & the contractor or his representative. The contractor will have to submit bill in printed format in duplicate.

**14.** The contractor will have to take necessary instruction from the Engineer CU/ Sub-Assistant Engineer regarding the execution of work.

**15.** Defect & liability Period: The defect & liability period will be for a period of <u>six months</u> from the date of completion of the job. Any defects pointed out during this period has to be mend good by the agency at their own cost failing which the retention money will be for feited.

Sd/-

**University Engineer** 

Name of the Agency:

Address :-

Signature of the Agency with date &stamp:-

#### N. I.T. no : Eng /CT-92/22-23 Date: 06-05-22

### SPECIFIC PRICE SCHEDULE FOR RENOVATION WORK IN INSTRUMENT FACILITY ROOM AT 2<sup>ND</sup> FLOOR OF APPLIED PHYSICS BLDG. AT RAJA BAZAR SCIENCE COLLEGE CAMPUS.

SL.NO.	DESCRIPTION OF ITEM.	UNIT.	QUANTITY.	RATE.	AMOUNT.
				RS. P.	RS. P.
1.	Stripping off worn out plaster and raking				
(page11	out joints of walls, celings etc. upto any				
ltem10).	height and in any floor including removing				
	rubbish within a lead of 75m as directed.	sqm	10.00	19.00	190.00
2.	Plaster (to wall, floor, ceiling etc.) with				
(page189	sand and cement mortar including				
ltem1).	rounding off or chamfering corners as				
	directed and raking out joints including				
	throating, nosing and drip course,				
	scaffolding/staging where necessary.	Sqm.	10.00	203.00	2030.00
3.	Wood work in door and window frame				
(page114	fitted and fixed in position complete				
ltem1).	including a protective coat of painting at				
	the contact surface of the frame exluding				
	cost of concrete, Iron Butt Hinges and M.S clamps. (The quantum should be correted				
	upto three decimals).				
	Sal-malayasian				
	Sur malayasian	Cum.	0.2	83218.00	16643.60
4.	Providing and fixing of false ceiling with				
(page160	powder coated exposed G.I. grid				
Item4).	suspension system (E-Grid T 2430/1510 or				
	equivalent load carrying capacity with mid				
	span deflection not exceeding 1/360 span				
	with hanger spacing of 1200mm c/c ) consisting of Main Runner 3600 mm long,				
	Cross Tee 1200 mm / 600 mm long and				
	Wall Angle. The Wall Angle shall be fixed				
	on PVC Dash Fasteners on the perimeter of				
	the wall by steel screws with distance				
	300mm c/c. The Main Runners to be				
	placed @ 1200 mm. The Cross Tee				
	1200mm will be inserted in the pre-cut				
	slots of Main Runner at a regular interval of				
	600 mm to form a modular grid of				
	1200mm X 600mm. Additional Cross Tees				
	of 600 mm shall be placed perpendicular to				
	the Cross Tee 1200 mm long to finally form				
	a grid of 600 mm X 600 mm. Grid of				

	-				
	module size 600 mm X 600 mm shall be				
	supported by 6 mm dia G.I. wire from				
	purlins / soffit. 4 mm thick High Pressure				
	Steam Cured Non Asbestos pearl designer				
	Fibre Cement Standard Ceiling Board				
	(Density > 1500 Kg/m3) of size 595 mm X				
	595 mm, conforming IS 14862 & Type A				
	Category IV of ISO 8336, tested as per AS-				
	1530 part 3 & BS-476 Part 4,5,6,7 & 8, should be placed in the Grid module to				
	form a False Ceiling. All complete as per				
	the drawing & directions of Engineer-in-				
	charge.	Sqm.	20.00	705.00	14100.00
	4.5x3.7=16.65	Sqiii.	20.00	705.00	14100.00
5.	Rendering the Surface of walls and ceiling				
(p-198	with White Cement base WATER PROOF				
	wall putty of approved make & brand.(1.5	Sam	90.00	122.00	10980.00
i-5)	mm thick)	Sqm.	90.00	122.00	10980.00
	2x(4.5+3.7)x4.0=65.6				
	4.5x3.7=16.65				
6.	Applying Interior grade Acrylic Primer of				
(page195	approved quality and brand on plastered				
Item7).	or concrete surface old or new surface to				
,	receive Distemper/ Acrylic emulsion paint				
	including scraping and preparing the				
	surface throughly, complete as per				
	manufacturer's specification and as per				
	direction of the EIC.				
	2x1.5x3.00=9.00	Sqm.	90.00	33.70	3033.00
7.	Acrylic Distemper to interior wall, ceiling	Sqiii.	30.00	33.70	3033.00
	with a coat of solvent based interior grade				
(page196	acrylic primer (as per manufacturer's				
Item10).	specification) including cleaning and				
	smoothning of surface	6		70.00	6200.00
		Sqm.	90.00	70.00	6300.00
8.	Priming one coat on timber or plastered				
(page200	surface with synthetic oil bound primer of				
ltem1b).	approved quality including smoothening surfaces by sand papering etc.				
	surfaces by sand papering etc.	Sqm.	30.00	38.00	1140.00
9.	Painting with best quality synthetic enamel				
9. (page200	paint of approved make and brand				
Item2).	including smoothening surface by sand				
itemz).	papering etc. including using of approved	Cam	20.00	70.00	2270.00
	putty etc. on the surface	Sqm.	30.00	79.00	2370.00
10.	Supplying & laying of approved brand of				
(page76	scratch proof, semi flexible P.V.C. blended				
ltem1).	homogeneous marble Vinyle flooring in				
/-	tiles conforming to IS:3461, fixing with				
	synthetic acrylic adhesive after preparing				
	the floor, levelling & smothaning when				
	necessary with suitable putty, as per the				
	design & instruction of the Engineer-in-				

	charge.				
		Sqm.	20.00	578.00	11560.00
11. (page233 ltem1).	Supplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS: 732-1983 and IS: 1285- 1975; Annodized (with required film thickness and specified colour / natural) matt finished conforming to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer – InCharge. 2- track sliding window. Bottom frame. Top and side frame. Shutter for all track sliding window. Bottom & Top member Style side member	Rmt. Rmt. Rmt.	3.00 8.00 6.00	218.00 195.00 117.00	654.00 1560.0 702.00
	Inter lock member	Rmt. Rmt.	5.00 5.00	119.00 148.00	595.00 740.00
(page239 Item2).	installation of composite door, window, partitions made from annodized extruded alloy aluminium sections for the following units:- Glazed aluminium sliding windows made of extruded and annodized alloy aluminium sectios, fabrications, including cutting to proper shape and size, drilling and aligning of window shutter frame fitted with in built locking arrangements, sliding rollers and other necessary fittings, fixture, adhesives and joineries along with extruded neoprine or EPDM gasketing in between window frame and masonry work (walls, column, beam.lintels etc.) as well as between glass and shutter frame for fixing glass and Polysulphide sealant and in between shutter and window frame where necessary including cutting to requisite size and fixing glass as per drawing, specification and direction of EIC. The rate includes the hire charge of all tools and plants, including all incidental charges, adhesive, joineries such as screw, cleat angle etc. but excluding the cost of extruded aluminium sections, glass, neoprene / EPDM gasket, locking arrangement and rollers. 2track sliding	Sqm.	4.0	696.00	2784.00
13.	Supplying bubble free float glass of				
-	approved make and brand conforming to				

	IS: 2835-1987.	Sqm.	6.00	468.00	2808.00
14. (p-101 i-7)	Shutters of 2/3rd panel and 1/3rd glazed of doors and windows as per design (each panel consisting of a single plank without joint and with ordinary glass of 7.4kg. Per sq.m./3mm thick) fitted with putty bed and teak wood beads and nails including fitting and fixing shutters in position but excluding the cost of glass, putty, teak	Sqm.	3.0	4734.00	14202.00
	bead, nails, hinges etc. and other fittings.				
15.	Labour Charges for Shifting	each	6.00	450.00	2700.00
16.	Hydraulic door closer of approved quality				
(p-143	as per I.S.I. standard fitted and fixed				
i-23)	complete. (a) Heavy type	each	2.00	1665.00	3330.00
TOTAL EST	TOTAL ESTIMATERS. 98421.60				

Add 18%Gst......Rs.17715.89

Total estimated cost......Rs.116137.49

### Name of the Agency

Address of the Agency

### Rate quoted by the Agency

### Signature of the Agency with date